Chief Secretary's Office, Adelaide, July 31st, 1900.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general j. G. Jenkins, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of May, 1895-1900.

Years	1895.	1896.	1897.	1898.	1899.	Average of Five	1900								Total for			
*Population, May 1st	347,987	350,775	352,203	356,179	361,071	Years.								1900				
Births	979	929	762	797	919	877	843						1	3,888				
Rate per cent	·281	.265	.216	.224	.255	_					•2	31			-			
Deaths -							All Ages.	Under 1 year.	l and under 5.	band under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not states.	+Coroners'	†Uncerti- fied causes of Death.	
All causes	356	341	294	357	392	348	310	78	18	33	45	47	61	27	1	33	8	1,607
Rate per cent	•102	.097	.083	•100	•109	-	-085	_	_	_	_	_	_	_	-	_	_	
Diseases— I. Specific Febrile or Zymotic II. Parasitic III. Dietic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified	44 2 1 64 53 152	54 2 3 56 35 152	46 2 2 51 30 130	53 1 3 37 44 164 18	82 3 4 60 41 164 15		$ \begin{array}{r} 39 \\ \hline 2 \\ 56 \\ 30 \\ 138 \\ 16 \end{array} $	14 - 3 10 22 3	6 - 2 - 9 1	10 — 6 — 13 3	$\frac{6}{1}$ $\frac{1}{19}$ $\frac{1}{15}$ $\frac{4}{4}$		- 12 8 38 3	1 - 12 11 1				
causes	24	22	23	37	23	_	29	26	_	1	_	_	_	2	-	_	_	

^{*} The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

* Not certified by qualified practitioners.

Causes of Deaths registered in the Month of May, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
1		-				Diseases of locomotive sys-		
Measles	_	_	V.			tem	_	1
Scarlet fever	_	_	Premature birth	10	_	Diseases of integumentary		
Relapsing fever	-	_	Cyanosis	-		system	_	1
Influenza	_	1	Congenital defects,	_	_	VII.		
Whooping-cough	-	_	Old age	-	20	(Accident.)		
Diphtheria	_	2	VI.			Fracture and contusion	_	5
Simple and ill-defined fever	_	_	Apoplexy	_	9	Gunshot wound	_	-
Enteric fever	_	9	Epilepsy	_	2	Cut, stab	_	_
Simple cholera	-	_	Convulsions	4	1	Burn and scald	-	3
Diarrhœa, dysentery	13	11	Other diseases of brain and			Poison	-	1
Remittent fever	_		nervous system	1	16	Drowning	_	2
Venereal affections	1	1	Diseases of organs of special			Suffocation	3	_
Erysipelas	_	_	sense	_		Otherwise	-	_
Pyæmia and septicæmia	_		Diseases of circulatory sys-			(Homicide.)		
Puerperal fever	_	1	tem	_	41	Murder and manslaughter		_
Other zymotic diseases	_	_	Croup	_	1	(Suicide.)		
II.			Bronchitis	2	9	Gunshot wound		_
Thrush	_		Pneumonia	3	11	Cut, stab	_	
Worms and other parasitical			Pleurisy	_	2	Poison	_	1
diseases		_	Other diseases of respiratory			Drowning	_	
III.			system	_	2	Hanging	_	1
Privation—want of breast milk	_	_	Dentition	1	2	Otherwise	-	
Alcoholism	_	9.	Quinsy, sore throat	_	_	(Execution.)		
IV.			Enteritis	-10	_	Hanging	_	-
Rheumatic fever and rheuma-			Peritonitis	_	1	VIII.		
tism of heart	_	2	Diseases of liver	_	3	Dropsy	_	2
Rheumatism	_		Other diseases of digestive			Debility, atrophy, inanition	26	1
Cloud			system	_	3	Mortification		_
Gout	-	18	Diseases of lymphatic sys-			Tumor	_	
Cancer, malignant disease	1	10	tem and of ductless glands	_	1	Abscess	_	
Tabes mesenterica	-	1	Diseases of urinary system	1	6	Hæmorrhage	_	
Tubercular meningitis	1	1		1	0	Sudden, cause unascertained	_	
Phthisis	_	25	Diseases of generative sys-		1	Other ill-defined and not		
Scrofula, tuberculosis	1	3	tem		3			
Other constitutional diseases	1	4	Accidents of childbirth		0	specified causes	_	-

Return of Births and Deaths registered in the City of Adelaide in the Month of May, 1895-1900.

Years	1895.	1896.	1897.	1898	1899.	Average of Five					1	900.						Total for
Population, Jan. 1st	40,167	40,406	40,384	40,475	40,637	Years.	41,005							1900.				
Births	108	101	91	90	98	98	84											
Rate per cent	-268	•250	•225	•222	•241						-9	205						
Deaths —							All Ages.	Under l year.	land under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
All causes	78	88	57	81	78	76	59	10		7	10	10	15	7	_	4	-	346
Rate per cent	194	•217	·141	200	•192	_	•144				-	_		_	_	-	_	
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic 11. Dietic 11. Constitutional 12. Developmental 13. V. Developmental 14. Violence 14. Violence 14. Uil-defined and not specified causes	12 1 1 15 9 34 1	15 	7 1 1 16 3 24 4	6 1 1 14 10 36 4	18 1 1 19 6 25 2		$ \begin{array}{r} 5 \\ \hline 1 \\ 13 \\ 4 \\ 29 \\ 2 \end{array} $	1 - 1 1 2 -		$\frac{3}{-}$ $\frac{1}{2}$ 1	1 5 - 3 -	4 6	- - 2 - 12 1	3 4				

^{*} Including inquests.

Causes of Deaths registered in the Month of May, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.	or only some	Under One Year.	One Yea and Above
I.						Accidents of childbirth		_
Measles			Scrofula, tuberculosis	1	1	Diseases of locomotive system	_	_
Scarlet fever	-	-	Other constitutional diseases	1		Diseases of integumentary		
Relapsing fever	-					system		_
Influenza	_	_	V.					
Whooping-cough	-		Premature birth	1	12	VII. (Accident.)		
Diphtheria	_		Cyanosis	-	-	Fracture and contusion	_	1
Simple and ill-defined fever	-		Congenital defects	_		Gunshot wound	-	-
Enteric fever		4	Old age		3	Cut, stab		
Simple cholera	-	_				Burn and scald	-	1
Diarrhœa, dysentery	_	_	VI.			Poison	-	_
Remittent fever			Apoplexy	-	2	Drowning	-	
Venereal affections	-	, 1	Epilepsy	-	-	Suffocation	-	_
Erysipelas		_	Convulsions	1	-	Otherwise	-	-
Pyæmia and septicæmia	-	_	Other diseases of brain and			(Homicide.)		
Puerperal fever	_	_	nervous system	-	3	Murder and manslaughter	_	-
Other zymotic diseases			Diseases of organs of special			(Suicide.)		
TT			sense			Gunshot wound		-
II.			Diseases of circulatory system	-	10	Cut, stab	-	_
Thrush	-	-	Croup	-	1 mar -	Poison		
Worms and other parasitical			Bronchitis		-	Drowning		
diseases	_		Pneumonia	1	4	Hanging	_	_
III.			Pleurisy	-	1	Otherwise		
Privation—want of breast milk			Other diseases of respiratory			(Execution)		
Alachelian		_	system	-	-	Hanging		
Alcoholism	_	1	Dentition	_	-	NITT.		
IV.			Quinsy, sore throat	_	_	VIII.		122
Rheumatic fever and rheuma-			Enteritis	_	_	Dropsy		-
tion of boot			Peritonitis	_		Debility, atrophy, inanition	5	
tism of heart		17000	Diseases of liver	-	2	Mortification		_
Rheumatism		-	Other diseases of digestive		,	Tumor		-
Gout	_		system		1	Abscess		
Cancer, malignant disease Fabes mesenterica	_	4	Diseases of lymphatic sys-			Hæmorrhage	_	
Pubercular monincitie	-	-	tem and of ductless glands	_	- 2	Sudden, cause unascertained		-
Tubercular meningitis		-	Diseases of urinary system		3	Other ill-defined and not		
Phthisis	-	7	Diseases of generative system		1	specified causes	_	-

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of May, 1900.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	41,005	6,164	7,164	8,826	10,239	3,657	4,955
Persons to an acre	11.3	10.8	10.9	16.0	14.3	7.6	7.6
Births Male Female	84 38 46	17 8 9	16 7 9	16 10 6	21 8 13	5 1 4	9 4 5
Deaths Male Female	45 23 22	11 8 3	7 4 3	8 3 5	10 4 6	1 1	8 4 4
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	3 1 11 3 20 2 5	1 - 2 1 7	3 -3 1	1 1 1 1 3 -	3 1 2 1 3		2 - 2 - 4
Percentage of Deaths to population of each Ward	-110	.178	.098	.091	.098	.0272	161

Causes of Deaths registered in the Month of May, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
1.			Phthisis	_	7	Accidents of childbirth		
Measles	_		Scrofula, tuberculosis		1	Diseases of locomotive system		-
Scarlet fever		_	Other constitutional diseases.	1		Diseases of integumentary		
Relapsing fever						system	_	
Influenza	_		V.					. *
Whooping-cough	_	_	Premature birth	1		VII.		
Diphtheria	_	1 _	Cyanosis	_	_	(Accident.)		
Simple and ill-defined fever	_		Congenital defects	_		Fracture and contusion	-	Po
Enteric fever	_	2	Old age	_	2	Gunshot wound	-	-
			Old ago			Cut, stab	-	-
Simple cholera	_	_	VI.			Burn and scald	-	I
Diarrhœa, dysentery			Apoplexy		1	Poison		-
Remittent fever	_	1	Epilepsy	_		Drowning		
Venereal affections	_		Convulsions	1		Suffocation		
Erysipelas	_		Other diseases of brain and	1		Otherwise	-	-
Pyæmia and septicæmia			nervous system		2	(Homicide.)		
Puerperal fever	-		Diseases of organs of special		-	Murder and manslaughter	-	
Other zymotic diseases	-					(Suicide.)		
7.7			Discourse of circulatory system		5	Gunshot wound	-	_
II.			Diseases of circulatory system	_	0	Cut, stab	-	-
Thrush	_		Croup			Poison		
Worms and other parasitical			Bronchitis	1	2	Drowning		
diseases	-	_	Pneumonia	_	1	Hanging		
			Pleurisy	-	1	Otherwise	-	-
III.			Other diseases of respiratory)	(Execution)		
Privation — Want of breast			system	_		Hanging		
milk	-		Dentition	-	_	VIII.		
Alcoholism	-	1	Quinsy, sore throat	-				1
			Enteritis	-	_	Dropsy	-	_
IV.			Peritonitis	_		Debility, atrophy, inanition	5	
Rheumatic fever and rheu-			Diseases of liver	-	2	Mortification		
matism of heart	-	_	Other diseases of digestive		,	Tumor		-
Rheumatism	-	_	system	-	1	Abscess	-	-
Gout	-	-	Diseases of lymphatic system			Hæmorrhage		-
Cancer, malignant disease	-	2	and of ductless glands	-	_	Sudden, cause unascertained.	-	General Control
Tabes mesenterica	-	-	Diseases of urinary system	-	3	Other ill-defined and not spe-		1
Tubercular meningitis	-		Diseases of generative system	-	1	cified causes	-	

MAY, 1900.

The highest temperature in the shade at the Adelaide Observatory during the month was 79°.4 on the 6th; and the lowest, 41°·1, on the 12th. The mean temperature of the month was 56°·2.

The greatest range of the thermometer in one day, 20°.7, took place on the 3rd, viz., from a maximum of 64°.7 to a minimum of 44°.4; the lowest range, 8°.5, on the 17th.

The mean height of the barometer was 30·109 inches; the maximum, 30·401 inches, occurred on the 14th; and the minimum, 29·718 inches on the 17th.

Observatory, Adelaide, June 6th, 1900.

C. Todd, Observer.